

StanleyBlack&Decker

**BLACK+
DECKER**




**ONE TOOL
COMPANY**

2018

POWER TOOLS


THE LEGACY

1st PORTABLE DRILL



1914 PATENTED
THE WORLD'S FIRST PISTOL DRILL

DEMONSTRATIONS



1925

FLYING SHOWROOM




1929

PORTABILITY



1946 - World's 1st Consumer Drill

GARDENING



1957 - PORTABLE
ELECTRIC HEDGE TRIMMER

In 1909, two young entrepreneurs, S. Duncan Black and Alonzo G. Decker, founded a small machine shop in Baltimore, Maryland, USA. They called it 'Black & Decker Manufacturing Company'. Today, the shop is worth billions of dollars and much more than was ever imagined. Black & Decker emerged as a global marketer and manufacturer of quality products used in and around the home.

As a market driven company, Black & Decker is committed to building strong partnerships through end-user focus, customer satisfaction and continuous system enhancement to bring to the consumer the latest products of the highest quality. Black & Decker re-affirms its commitment through a full two-year warranty across all home products. A wide network of well-equipped and trained service centres backs this unique warranty across the world.

N.A.S.A.



1969
First drill on the moon



DRILLS

DRILLS

KR5010 - 10 mm 550 W Single Speed Hammer Drill



Specifications

| | |
|-------------|------------|
| Power Input | 550 W |
| Chuck Size | 10 mm |
| Speed | 2,800 rpm |
| Impact Rate | 47,600 bpm |

Max Drill Capacity

| | |
|---------|-------|
| Wood | 20 mm |
| Steel | 10 mm |
| Masonry | 10 mm |

KR5010V - 10 mm 550 W Variable Speed Hammer Drill



Specifications

| | |
|-------------|--------------|
| Power Input | 550 W |
| Chuck Size | 10 mm |
| Speed | 0-2,800 rpm |
| Impact Rate | 0-47,600 bpm |

Max Drill Capacity

| | |
|---------|-------|
| Wood | 20 mm |
| Steel | 10 mm |
| Masonry | 10 mm |

HD555 - 13 mm 550 W Variable Speed Hammer Drill



Specifications

| | |
|-------------|--------------|
| Power Input | 550 W |
| Chuck size | 13 mm |
| Speed | 0-2,800 rpm |
| Impact Rate | 0-47,600 bpm |

Max Drill Capacity

| | |
|---------|-------|
| Wood | 20 mm |
| Steel | 13 mm |
| Masonry | 13 mm |

Standard Accessory: Side Handle and Depth Gauge

DRILLS

HD400BX-IN - 10mm 500W Drill Kit with 103 Accessories



Features

- 500W power suitable for home drilling tasks
- 10mm, high quality keyed chuck
- Lock on button for greater comfort
- Hammer action: the power and speed to drill into concrete
- Includes 102 accessories and hand tools with plastic tool box

Key Applications

- Ideal for drilling into a variety of materials such as wood, metal, plastic and masonry

Contents:

- 500W 10mm Hammer Drill
- Chuck key
- 1 x 10-Curve Claw Hammer (250g)
- 1 x Utility Knife
- 1 x 12-Pincer Plier
- 8 x Allen Keys (1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm)
- 5 x HSS Drill Bits (10, 8, 7, 5, 4mm)
- 5 x Masonry Drill Bits (10, 8, 7, 5, 4mm)
- 30 x 25mm Screwdriving Bits
- 1 x Magnetic Bit holder
- 25 x Plastic Anchors (6.2mm x10pcs, 5.2mm x 15pcs)
- 25pcs Screws (4.2mm x 10pcs, 3.2mm x 15pcs)
- 1 x Plastic tool box



CORDLESS

CORDLESS

A7073 - 6V Cordless Alkaline Battery Screwdriver



Specifications

| | |
|--------------|-----------------|
| Voltage | 6V |
| Battery type | Alkaline |
| Capacity | 4 x 1.5V |
| Charge Time | Non chargeable |
| Max Torque | 2.9 Nm |
| Chuck size | 1/4" Hex socket |
| Weight | 0.24 Kg |

Contents: 14 pcs single ended bits and 4 pcs A4 Alkaline Batteries

KC4815 - 4.8 V Cordless Ni-Cd Screwdriver



Specifications

| | |
|--------------|-----------|
| Voltage | 4.8V |
| Battery type | Ni-Cd |
| Max Torque | 3.5 Nm |
| Speed | 0-200 rpm |
| Reversible | Yes |
| Weight | 0.24 Kg |

Contents: 1 Cordless Screwdriver, 1 Charger, 15 Bits and 1 Magnetic Bit holder

CORDLESS

CD121K50 – 12 V Cordless Ni-Cd Drill/Driver with 50 Accessories Kitbox



Specifications

| | |
|-------------------|---------------------------|
| Voltage | 12 V |
| Battery type | 1.3 Ah, Ni-Cd |
| Chuck Size | 10 mm |
| Speed | 0-1200 rpm |
| Chuck | Keyless, 17 Positions |
| Reversible | Yes |
| Drilling Capacity | Wood 25 mm Metal 10 mm |

Contents:

- 12 V drill/driver, 1.3 Ah Ni-Cd Battery Pack, charger, 1 double ended screwdriver bit, 12 titanium coated high speed drill bits, 4 wood drill bits, 4 wood spade bits, 3 50 mm screwdriver bits,
- 20 25 mm screwdriver bits, 4 nut driver, 2 screw finders, 1 magnetic bit holder and 1 kit box

EPC12K2 – 12 V Cordless Ni-Cd Drill with Kit



Specifications

| | |
|---------------------|-----------------------|
| Voltage | 12 V |
| Capacity | 1.2 Ah, Ni-Cd |
| Speed | 0-750 rpm |
| Chuck | Keyless, 24 Positions |
| Chuck size | 10 mm |
| Max Capacity- Wood | 25 mm |
| Max Capacity- Steel | 10 mm |
| Reverse | Yes |

Contents:

- 1 cordless drill, 2 batteries, 1 charger, 3 drill bits, 1 drill driver, 10 screw driving bits, 1 interchangeable screw driving bit, warranty card and manual

CORDLESS

BDCDD12HTSA – 10.8V Li-Ion Drill Kit with Storage Bag



Features

- Lithium Ion battery holds over 80% of its charge upto 12 weeks whilst idle. No need to charge unit before each use
- Provides precise control for drilling into wood, metal, plastic and all screwdriving tasks.
- Variable speed for ultimate fingertip control for all drilling and screwdriving applications
- LED worklight illuminates the work area when drill is in use
- Compact and lightweight - ideal for use in those hard to reach confined areas
- Anti slip soft grip which provides comfort when drill is in use
- Spring loaded battery system for quick and simple battery change and a more secure fit
- Comes with 20 pieces of accessory and hand tools providing creative solutions to creative people who enjoy experimenting with new ideas while improving their DIY skills.

Key Applications

- For all drilling tasks in Wood up to 25mm
- Hanging Pictures, Shelves, Curtain Rails, Blinds
- For all drilling tasks in Metal up to 10mm

Contents:

- 10.8V drill / driver
- 1 x 1.5Ah slide pack battery
- 200mA jack plug charger
- Claw hammer
- Adjustable wrench
- Utility knife
- Pincer plier
- Long nose plier
- 3-metre tape measure
- 1 x magnetic bit holder
- 10 x 25mm PH, PZ, Slot, Hex screwdriver bit
- 4 drill bits (HSS, wood)



**WOOD
WORKING**

WOOD WORKING

CS1500 - 1500W Circular Saw



Specifications

| | |
|---------------------|-----------|
| Power | 1500 Watt |
| Blade Size | 185 mm |
| Speed | 5500 rpm |
| Depth Of Cut at 90° | 62 mm |
| Depth Of Cut at 45° | 46 mm |
| Beveling Shoe | 0-45° |

JS20-IN - 400W Variable Speed Jigsaw



Features

- Variable speed trigger for increased control
- Tool-free blade change
- 45 degree bevel shoe capacity for angled cuts in both directions
- Built in dustblower
- Wire guard provides clear line of sight
- Accepts both U and T shank blades
- Perfect for detailed cuts, precision cuts, following curved lines and plunge cuts

Specifications

| | |
|---------------------|----------|
| Power | 400 W |
| Keyless Blade Clamp | Yes |
| Stroke Length | 0.75 in |
| Strokes/Min | 2500 spm |
| Tool Weight | 4.3 lbs |

WOOD WORKING

KS700PE - 480 W Variable Speed Pendulum Jigsaw



Specifications

| | |
|---------------|--------------|
| Power Input | 480 W |
| Stoke Per Min | 0 - 3000 spm |
| Dept of Cut | |
| Wood | 60 mm |
| Steel | 5 mm |
| Aluminium | 10 mm |
| Bevel Cut | 0-45° |
| Pendulum | yes |

KS900EKX - 600 W Variable Speed Pendulum Jigsaw With Kit



Specifications

| | |
|-------------|------------------|
| Power Input | 600 W |
| Stoke | 800 - 3000 / min |
| Dept of Cut | |
| Wood | 85 mm |
| Steel | 5 mm |
| Aluminium | 10 mm |
| Soft Grip | Yes |
| Speed | Variable |
| Free Blades | 3+10 |

WOOD WORKING

KW712 - 650 W Rebating Planer



Specifications

| | |
|----------------|---------------------|
| Power Input | 650 W |
| Speed | 17000 rpm |
| Dept of Cut | 0-2 mm |
| Width of Cut | 82 mm |
| Plannig Width | 82 mm |
| Rebating Depth | 8 mm |
| Blade Type | TC Reversible Blade |

KA400- ¼” 220 W Sheet Sander



Specifications

| | |
|-----------------|----------------|
| Power Input | 220 W |
| Speed | 15000 opm |
| Excentricity | 0.8 mm |
| Orbit Dia | 1.6 mm |
| Paper Size | 114 x 114 mm |
| Platen Size | 113.5 x 109 mm |
| Dust Extraction | Dust Bag |



**METAL
WORKING**

METAL WORKING

G650- IN - 650W 100mm Small Angle Grinder



Features

- Powerful 650W motor
- Compact design
- Spindle Lock
- Side handle with 2 positions
- Dust seal switch with lock for continuous use
- Burst Guard

Specifications

| | |
|--------------------|-------------------|
| Power | 650W |
| Speed | 12000 / min (rpm) |
| Lock on/off Switch | Yes |
| Cable | 2 m |

G720R - 820 mm 100 mm Small Angle Grinder



Specifications

| | |
|--------------------|-----------|
| Power Input | 820 W |
| Speed | 11000 rpm |
| Spindle Size | M 10 |
| Spindle Lock | Yes |
| Lock ON/Off Switch | Yes |
| Switch Type | Slider |

KG70-QS - 700W 100mm Small Angle Grinder



Features

- Solid Steel Cut Spiral Bevel Gears
- Simple Gaurd Adjustment
- 3 Position textured side Handle with Compact Ergonomics and simple brush replacement

Specifications

| | |
|---------------|-----------|
| Power | 700W |
| Model | KG70 |
| Disc Diameter | 100 mm |
| No Load Speed | 10000 rpm |
| Spindle Size | M 10 |



**SPECIALTY
TOOLS**

SPECIALTY TOOLS

KX1800 - 1800 W 2 Speed Heat Gun



Specifications

| | |
|------------------|---------------|
| Power Input | 1800 W |
| Voltage | 220- 240 V |
| Style | Pistol |
| Two Heat Setting | 300°-580°C |
| Airflow | 500/650 L/Min |
| Cable Length | 2 M |



PRESSURE WASHERS

PRESSURE WASHERS

PW1300C - 110 bar Pressure washer



Standard Accessories - Gun, Hose Length 5m ,
Spray Lance Vario, Detergent Bott

Specifications

| | |
|------------------|-----------------------|
| Power Input | 1300 W |
| Max Pressure | 110 bar |
| Wate flow Rate | 360 l/h |
| Motor Type | Universal |
| Hose Material | Durable Thermoplastic |
| Detergent Bottle | Present |

- Square former kit design to fit the shape of the unit
- HP Hose & Power cord storage direct on the machine
- Click fit gun holder
- 2 lances stored inside the machine
- Wall storage kit supplied std

Accessories:

Gun, Hose length 5 m, spray lance Vario, Detergent Bottle

PRESSURE WASHERS

PW1500SP - 120 bar Pressure Washer



Standard Accessories - Gun, Hose Length 5m ,
Spray Lance Vario, Detergent Bott



Specifications

| | |
|------------------|-----------------------|
| Power Input | 1500 W |
| Max Pressure | 120 bar |
| Wate flow Rate | 380l/h |
| Motor Type | Universal |
| Hose Material | Durable Thermoplastic |
| Detergent Bottle | Present |

rotopower turbo nozzle, Built in accessories holder, soft grip handle , high performance water inlet filter
Accessories:

Gun, Hose length 5 m, spray lance Vario, Detergent Bottle

PW1700SPX - 130 bar Pressure Washer



TSS
Total Stop System




Specifications

| | |
|------------------|-----------------------|
| Power Input | 1700 W |
| Max Pressure | 130 bar |
| Wate flow Rate | 370l/h |
| Motor Type | Universal |
| Hose Material | Durable Thermoplastic |
| Detergent Bottle | Present |

Washing brush, rotopower turbo nozzle, HP hose steel, loding system

Accessories:

Gun, Hose length 5 m, spray lance Vario, Detergent Bottle



LAWN & GARDENING

LAWN & GARDENING

EMAX32S-GB - 1200w 32cm Electric Lawnmower



Specifications

| | |
|--------------------|---------------------|
| Part Number | EMAX32S |
| Wattage | 1200 W |
| Product Dimensions | 31 x 35.8 x 63.6 cm |
| Power Source | Corded - Electric |
| Cutting Dia. | 32 cms |
| Special Features | Electric - Start |
| Weight | 9.7 Kg |

GL360 - 25cm, 300w String Trimmer



Specifications

| | |
|--------------------|---------------------|
| Part Number | GL360 |
| Wattage | 350 W |
| Product Dimensions | 53.7 x 13 x 20.6 cm |
| Cutting Swathe Dia | 25 cms |
| Power Source | Corded - Electric |
| Special Features | Electric - Start |
| Weight | 2.1 Kg |

LAWN & GARDENING

GT4245 - 420W hedge trimmer with 45cm blade



Specifications

| | |
|--------------------|----------------------|
| Part Number | GT4245 |
| Wattage | 420 W |
| Product Dimensions | 19.7 x 103 x 18.5 cm |
| Blade Length | 45 cm |
| Power Source | Corded - Electric |
| Weight | 2.1 Kg |

GW3030 - 3000W Blower Vac with 12M Cable



Specifications

| | |
|--------------------|---------------------|
| Part Number | GW3030 |
| Wattage | 3000 W |
| Product Dimensions | 52.5 x 40 x 26.5 cm |
| Power Source | Corded - Electric |
| Weight | 7 Kg |

STANLEY BLACK & DECKER INDIA PVT.LTD
28 Akemps, 3rd Main, 1st Cross, Ashwini Layout,
Koramangala, Intermediate Ring Road,
Bangalore - 560 047

T: +91 80 6791 9900 • F: +91 80 6660 8828
E: sbd-customercommunications@sbdinc.com

STANLEY

DEWALT

BLACK+DECKER

FACOM

PROTO

IRWIN

LENOX